

INDEX MAPS.

T. 15 N., R. 1 E. 2nd Mer.

	393	393	394	394	394	395
397	6 420	5 415	4 411	3 407	2 402	1 393
	420	419	415	411	406	401
397	7 419	8 415	9 410	10 406	11 401	12 392
	421	419	414	410	405	400
396	18 418	17 414	16 409	15 405	14 400	13 392
	421	418	414	409	404	400
396	19 417	20 413	21 409	22 404	23 399	24 392
	422	417	413	408	403	399
396	30 417	29 412	28 408	27 403	26 398	25 391
	422	416	412	408	403	398
395	31 416	32 412	33 407	34 402	35 397	36 391
	389	389	389	389	390	390

T. 14 N., R. 1 E. 2nd Mer.

	430	430-431	430-431	430-431	429-432	429-432
434	6 457	5 451	4 447	3 443	2 438	1 429
	456	456	451	447	442	438
434	7 456	8 450	9 446	10 442	11 438	12 428
	455	455	450	446	442	437
434	18 455	17 449	16 445	15 441	14 437	13 428
	454	454	449	445	441	437
433	19 454	20 449	21 445	22 440	23 436	24 428
	453	453	448	444	440	436
433	30 453	29 448	28 444	27 440	26 436	25 427
	452	452	448	444	439	435
433	31 451	32 447	33 443	34 439	35 435	36 427
	425	425	425	426	426	426

[F] The figures on the lines refer to the page.

Township N. 14 North, Range N. 1 East 2. Ill. Indiana

South Boundary var. 6.45. E.

East On S. boundary of Sec. 31, T14N. R1E.

- 1.00 At the q. Sec. post, from which
a Beech 25 in. dia. bears N56 E 28 lks. dist. of
a Do 10 " " " N57 W 26 " "
8.62 a Walnut 33 " " in the line
41.00 At a post Cor. to Sec. 31 & 32, T14N. R1E, from which
a Hackberry 21 in. dia. bears N25 W 7 lks. dist.
a Do 14 " " " S32 E 27 " "
Rich rolling land, Sugar, Walnut, Hackberry
Poplar &c. undergth Spice

East On S. boundary of Sec. 32, T14N. R1E.

- 3.00 a Branch 4 lks. wide C. S. N. E.
27.33 a W. Oak 33 in. dia. in the line
40.00 At the q. Sec. post, from which
a Beech 24 in. dia. bears N12 W 11 lks. dist. of
an Ash 7 " " " S72 E 15 " "
58.00 a Branch 12 lks. wide C. S. N. W.
80.00 At a post Cor. to Sec. 32 & 33, T14N. R1E, from which
a Hickory 18 in. dia. bears N48 E. 4 lks. dist. of
a Walnut 27 " " " S58 W 20 " "
Sand timber &c. same as on the last mile

East On South boundry. of Sec. 33, T14N. R1E.

- 40.00 At q. Sec. post, from which
a Sugar 14 in. dia. bears N5 W 10 lks. dist. of
a Sycamore 7 " " " N29 W 25 " "
40.69 a Hickory 24 " " in the line
57.00 a Branch 6 lks. wide C. S.
75.00 a Do 4 " " C. S.
80.00 At a post Cor. to Sec. 33 & 34, T14N. R1E, from which
a Sycamore 24 in. dia. bears N25 W 5 lks. dist. of

T14 N R1 E, 2^d Mer. Indiana

a Beech 8 in. dia. beam N11W18 lks. dist. of
Land &c. same as on the last mile

East On S. boundary of Sec. 34, T14 N, R1 E,
18.10 a Sugar 24 in. dia. in the line
40.00 At the q. Sec. post, from which
a Beech 20 in. dia. beam N58E24 lks. dist. of
a Do 30 " " " S20E23 " "
62.54 a Poplar 50 " " in the line
65.00 a Branch 15 lks. wide C. & N. E.
80.00 At a post Cor. to Sec. 34 & 35, T14 N, R1 E, from which
a Sugar 7 in. dia. beam S57W10 lks. dist. of
a Do 5 " " " N47W18 " "
Broken land, Beech, Sugar, Walnut &c. little
undergrowth.

East On S. boundary of Sec. 35, T14 N, R1 E,
20.53 an Oak 18 in. dia. in the line
37.50 a Branch 4 lks. wide C. & N. E.
40.00 At the q. Sec. post, from which
a Sugar 7 in. dia. beam S65E3 lks. dist. of
a Do 5 " " " N25W72 " "
43.00 a Branch 5 lks. wide C. & E.
60.93 a Beech 30 in. dia. in the line
65.00 a Branch 5 lks. wide C. & N. E.
79.25 a Creek 150 lks " " South
80.00 At a post Cor. to Sec. 35 & 36, T14 N, R1 E, from which
a Sycamore 10 in. dia. beam S44W - lks. dist. of
an Ash 9 " " " N75E75 " "
Corner in the Creek. First 1/2 mile 1st quality
of land, Sugar, Walnut,

East On S. boundary of Sec. 36, T14 N, R1 E.

T4 N. R1 E, 9th. Mer. Indiana

- 40.00 At the q. Sec. post, from which
a Buckeye 10 m. dia. bears N1W 19 lks. dist. &
a Hackberry 18 " " " S39W 18 " "
- 54.89 a Beech 15 " " in the line
- 80.00 Intersected Meridian Cor. of Township N^o.
13 & 14 N. Range 1 & 2 E. from which
a Hackberry 18 m. dia. bears N61W 30 lks. dist. &
a Buckeye 10 " " " S40E 22 " "
Bottom 1st quality, Walnut, Sugar, Hackberry,
Locust, under 1st. Spruce & Pampas.

- East Boundary var. 6th 20th E.
North On E. boundary of Sec. 36 T4 N. R1 E.
19.65 a Sugar 21 m. dia. in the line
- 40.00 At the q. Sec. post, from which
a Beech 21 m. dia. bears S45W 16 lks. dist. &
an Elm 15 " " " N21E 18 " "
- 44.40 a Poplar 30 " " in the line
- 53.50 a Branch 5 lks. wide Cr. S. W.
- 79.50 a Brook 75 " " " S.W.
- 80.00 At a post Cor. to Sec. 25 & 36, from which
a Poplar 7 m. dia. bears N44W 25 lks. dist. &
an Elm 24 " " " S16E 50 " "
Rolling land, timber Sugar, Walnut & Soil good

- North On E. boundary of Sec. 25, T4 N. R1 E.
21.35 a Sugar 18 m. dia. in the line
- 40.00 At the q. Sec. post, from which
an Elm 9 m. dia. bears N53W 7 lks. dist. &
a Sugar 10 " " " S68E 15 " "
- 43.30 a Hackberry 20 " " in the line
- 80.00 At a post Corner to Sec. 24 & 25, from which
a Beech 24 m. dia. bears S60E 54 lks. dist. &

14th R1 E. 2nd Mer. Indiana

a Hackberry 12 in. dia. bears N 34 W 25 lks. dist.
Rolling land, timber Sugar, Poplar &c. undg.
Spice, good farming land.

North On E. boundary of Sec. 24, T14 N. R1 E.
25.25 a Branch 6 lks. wide C.P. S. E.
28.05 a Beech 14 in. dia. in the line
40.00 At the q. Sec. post, from which
a Beech 27 in. dia. bears S 40 W 15 lks. dist. &
an Elm 18 " " " N 33 E 33 " "
48.20 a Branch 7 lks. wide C.P. S. E.
52.75 a W. Oak 40 in. dia. in the line
80.00 At a post Cor. to Sec. 13 of 24, from which
a Beech 7 in. dia. bears S 27 E 14 lks. dist. &
a Elm 20 " " " N 33 W 12 " "
Land Rolling, timber B. Oak, Ash &c. undg.
Spice, good farming land.

North On E. boundary of Sec. 13, T14 N. R1 E.
14.75 a Beech 18 in. dia. in the line
28.75 a Branch 5 lks. wide C.P. E.
40.00 At the q. Sec. post, from which
a Beech 21 in. dia. bears N 15 W 7 lks. dist. &
an Ash 18 " " " N 80 E 20 " "
64.90 a Beech 14 " " in the line
80.00 At a post Cor. to Sec. 12 of 13, from which
an Ash 36 in. dia. bears N 75 E 6 lks. dist. &
a Hickory 14 " " " S 66 W 20 " "
Bottom land, timber Beech, Sugar, Ash &c.
undergrowth Spice Soil good.

North On E. boundary of Sec. 12, T14 N. R1 E.
18.70 a Hickory 10 in. dia. in the line

T4 N R1 E. 2^d Mer. Indiana

- 40.00 At the q. Sec. post, from which
a Swp. Ash 10 in. dia. bran N40 E 6 lks, dist
an Elm 9 " " " S22 W30 " "
- 57.80 a W. Oak 36 " " in the line
- 80.00 At a post Cor. to Sec. 1 & 12, from which
a Beech 28 in. dia. bran N56 W26 lks, dist
a Sugar 9 " " " N35 E16 " "
Gently rolling, timber Beech, Ash, Sugar,
Oak &c. undergth Spice, Soil good.

- North On E. boundary of Sec. 1, T4 N R1 E.
10.20 a Hickory 24 in. dia. in the line
- 40.00 At the q. Sec. post, from which
a Sugar 12 in. dia. bran N69 E25 lks, dist
a W. Oak 6 " " " S40 W21 " "
- 79.00 At a post Cor. to Township N^o 14 & 15 North,
Range 16 E East, from which
a Sugar 10 in. dia. bran S17 W36 lks, dist
an Elm 14 " " " N10 E26 " "
Level land, timber Beech, Ash, Sugar &c.
undergrowth Spice Soil good. Aug. 12, 1819.

- North Boundary var. 7.15.6
- West 1st mile on Random between Towns 14 & 15 N. R1 E.
14.90 a Branch 6 lks, wide C.P. S.W.
40.00 At temp. q. Sec. post
40.40 a Branch 6 lks, wide C.P. S.W.
77.50 a do 15 " " " S.W.
80.00 At temp. Sec. post.

- West 2^d mile on Random between Towns 14 & 15 N. R1 E.
40.00 At temp. q. Sec. post
65.00 Brook 75 lks, wide C.P. S.E.

T4 N. R1 E. 2^d Mer. Indiana

80.00 det temp^y. mile post.

Nest 3rd Mile between Towns 14 & 15 N. R1 E. Random

40.00 det temp^y. q^r. Sec. post

80.00 det temp^y. mile post.

Nest 4th Mile on Random between Towns 14 & 15 N. R1 E.

40.00 det temp^y. q^r. Sec. post

59.50 a Branch 7 lks. wide C.P. S.E.

80.00 det temp^y. post

Nest 5th Mile on Rand^m. between Towns 14 & 15 N. R1 E.

31.90 a Branch 4 lks. wide C.P. S.W.

37.00 a Creek 60 lks. wide C.P. S.W.

40.00 det temp^y. q^r. Sec. post.

80.00 det temp^y. mile post.

Nest 6th Mile on Random between Towns 14 & 15 N. R1 E.

4.40 a Branch 8 lks. wide C.P. S.E.

40.00 det temp^y. q^r. Sec. post

41.13 Intersected the 2^d Meridian 360 lks. N. of the Township Corner.

East On S. boundary of Sec. 31, T15 N. R1 E. 2^d Mer.

1.13 det q^r. Sec. post on true line, from which
a Beech 9 m. dist. bears N 87 W 11 lks. dist. &
an Elm 18 " " " S 18 E 10 " "

36.63 a Branch 8 lks. wide C.P. S.E.

41.13 det a post cor. to Sect. 31 & 32, T15 N. R1 E. from which

a Sugar 7 m. dist. bears S 71 W 6 lks. dist. &

a Do 14 " " " N 13 E 11 " "

Rolling land, timber Sugar, Beech, Ash, Elm, &c.

including ^{the} Spice. Soil good

T14N R1E. 2nd Mer. Indiana

East On S. boundary of Sec. 32, T15N. R1E.
 5.55 an Elm 9 m. dist. in the line
 40.00 At the q. Sec. post. on true line, from which
 an Elm 19 m. dist. bears N31°W11 lks. dist. &
 a Sycamore 30 " " " S49°E18 " "
~~42.00~~ an Elm 9 " " in the line
 43.00 a Creek 60 lks. wide C.P. S.W.
 48.10 a Branch 4 " " " S49°
 80.00 At a post Corner to Sec. 32 & 33, T15N. R1E, from which
 a Beech 15 m. dist. bears S8°E19 lks. dist. &
 an Ironw. 6 " " " N28°W37 " "
 Level land, timber Beech, Sycamore, Sugar &c. undug.
 Prickly Ash, Spice &c. rich Soil

East On S. boundary of Sec. 33, T15N. R1E.
 4.00 a Beech 10 m. dist. in the line
 20.50 a Branch 7 lks. wide C.P. S. E
 40.00 At the q. Sec. post. on true line, from which
 a Sugar 18 m. dist. bears N59°W84 lks. dist. &
 a Ho 12 " " " S56°E32 " "
 44.40 a Hickory 21 " " in the line
 80.00 At a post Cor. to Sec. 33 & 34, T15N. R1E, from which
 a Poplar 30 m. dist. bears N24°W24 lks. dist. &
 a Beech 7 " " " N22°W29 " "
 Sand, level, timber, Beech, Sugar, Oak, Poplar &c.
 undug. Spice, ash &c. Soil good.

East On S. boundary of Sec. Sec. 34, T15N. R1E.
 5.40 a Red Oak 40 m. dist. in the line
 40.00 At the q. Sec. post. on true line from which
 a Hickory 21 lks. dist. bears N56°E20 lks. dist. &
 a Beech 9 " " " N69°W38 " "
 46.15 a Beech 12 " " in the line

T15 N. R1 E. 2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 34 & 35, T15 N. R1 E, from which
 a Sugar 18 in. dia. beam S 67 E 25 lks. dist. &
 a Blue Ash 24 " " " N 81 W 15 " " Rolling
 land, timber Beech, Ash, Sugar, Walnut &c. underg.
 Spruce, Buckeye &c. Rich Soil

East On S. boundary of Sec. 35, T15 N. R1 E.

2.85 a Sugar 10 in. dia. in the line

15.00 a Creek 75 lks. wide C.P. & E.

40.00 At the q. Sec. post on true line, from which
 a Water Beech 9 in. dia. beam S 37 E, 15 lks. dist. &
 a Sugar 18 " " " N 4 W 24 " "

42.90 an Ironwood 9 " " in the line

80.00 Set a post Cor. to Sec. 35 & 36, ^{T15 N. R1 E.} from which
 a Buckeye 15 in. dia. beam S 28 E. 15 lks. dist. &
 a Sugar 20 " " " N 21 E 7 " "
 Rolling land timber Sugar, Beech, Hickory &c.
 underg. Spruce, Buckeye &c. Rich Soil.

East On S. boundary of Sec. 36, T15 N. R1 E.

2.50 a Branch 15 lks. wide C.P. & S.W.

4.85 a Buckeye 12 in. dia. beam

39.60 a Branch 6 lks. wide C.P. & W.

40.00 At the q. Sec. post on true line, from which
 a Dogwood 6 in. dia. beam S 20 W. 7 lks. dist. &
 a Sugar 15 " " " N 60 E 15 " "

46.25 an Ash 18 " " in the line

65.10 a Branch 5 lks. wide C.P. & W.

80.00 to Town Corner.

Level land, timber Sugar, Ash, Beech &c. underg.
 Spruce &c. August 12th 1819.

Surveyed by John M. Donald, Dep. Sur.

T4 N - R1 E. 2nd Indiana

West Boundary on 2nd Principal Meridian
variation 6° 10' E.

- North On E. boundary of Sec 36, T4 N. R1 W
5.00 a Brook 3 lks. wide C.P. W.
40.00 At the q. Sec. post, from which
a Beech 10 in. dia. bears S66 E 19 lks. dist. &
a do 12 " " " N66 W 6 " "
47.50 a Brook 20 lks. wide C.P. E.
70.00 a Spring branch C.P. —
80.00 At a post Cor. to Sec. 25 & 36, T4 N. R1 W. from which
a Beech 12 in. dia. bears S7 W 14 lks. dist. &
a do 12 " " " N34 E 25 " "
Land Rolling, Beech, Sugar, bushes Oak &c.
July 23rd 1819
-

- North On E. boundary of Sec. 25, T4 N. R1 W.
40.00 At the q. Sec. post, from which
a Blue Ash 8 in. dia. bears N69 E 3 lks. dist. &
a do 4 " " " S39 W 10 " "
80.00 At the post Cor. to Sec. 24 & 25, T4 N. R1 W. from which
a Beech 20 in. dia. bears S65 E 25 lks. dist. &
a W. Ash 9 " " " S88 W 10 " "
Land level, timber same, 2nd rate good farming land.
-

- North On E. boundary of Sec. 24, T4 N. R1 W
2.00 a Brook 10 lks. wide C.P. E.
40.00 At the q. Sec. post, from which
a Beech 11 in. dia. bears S17 W 18 lks. dist. &
a do 24 " " " N4 W 24 " "
45.00 a Brook 10 lks. wide C.P. E.
54.00 a do 15 " " " E.
80.00 At a post Cor. to Sec. 13 & 24, T4 N. R1 W. from which
a Beech 18 in. dia. bears S19 E 34 lks. dist. &

T14 N. R1 E. 2^d. Mer. Indian

a Beech 18 in. dia. bran S37W12 lks. dist. of
Land rolling, Beech, Sugar, Hickory, Poplar, Oak.
2^d rate Good farming land, thick Spruce, mixed.

North On E. boundary of Sec. 13, T14 N. R1 W.

38.50 a Brook 5 lks. wide C.P. Co.

40.00 At the q. Sec. post, from which

a W. Oak 24 in. dia. bran N14W — lks. dist. of
an Oak 9 " " " N15E17 " "

67.50 a Brook 15 lks. wide C.P. Co.

80.00 At a post Cor. to Sec. 12 & 13, T14 N. R1 E, from which

a 9 in. dia. bran S7E19 lks. dist. of
an Oak 9 " " " N57W30 " "

Land similar, rich good farming land timber
Same as on the last mile.

North On E. boundary of Sec. 12, T14 N. R1 W.

35.00 a Brook 5 lks. wide C.P. Co. Standing water

40.00 At the q. Sec. post, from which

an Elm 18 in. dia. bran S19E19 lks. dist. of
a Do 18 " " " North 19 " "

80.00 At a post Cor. to Sec. 1 & 12, T14 N. R1 W, from which

a Beech 12 in. dia. bran S53W26 lks. dist. of
a Do 8 " " " S86E15 " "

Land, timber &c. Same as on the last mile.

North On E. boundary of Sec. 1, T14 N. R1 W.

30.00 a Brook 10 lks. wide C.P. Co.

40.00 At the q. Sec. post, from which

a W. Oak 18 in. dia. bran S60E39 lks. dist. of
a Sugar 18 " " " N52W13 " "

65.00 a Brook 4 lks. wide C.P. Co.

80.00 At a post Cor. to Township N. 14 & 15 North

T4 N. R1 E. 2^d. Mer. Indiana

Ranges N. 1 East & 1 West, from which
 a W. Oak 18 in. dia. bears N50W 9 lks. dist. &
 a Beech 10 " " " S74E 28 " "
 Sand timber &c. same as on the last mile
 Surveyed by William Harris, Dep. Sur.

Subdivision.

North Between Secs. 35 & 36, T4 N. R1 E. 2^d. Mer.

19.80 a Sycamore 12 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 20 in. dia. bears S33W 36 lks. dist. &

a Do 30 " " " N57E 25 " "

65.60 a Poplar 50 " " in the line

80.00 Set a post Cor. to Secs. 25, 26, 35 & 36, from which

a Sugar 12 in. dia. bears S84W 22 lks. dist. &

a Do 12 " " " N86E 19 " "

Sand 1st 1/2 mile Rolling rich 2^d 1/2 mile same
 timber Beech, Sugar, Walnut, Poplar, W. B. Ash,
 undngth. Spruce & spruce.

East On Random between Secs. 25 & 36, T4 N. R1 E.

40.00 Set temp. q. Sec. post

79.00 a Stream 50 lks. wide W. Str.

80.04 Intersected the E. boundary 115 lks. S. of the post

Sand Rolling rich, timber, Beech, Sugar, Wal-
 nut, &c. undngth. as above

West On true line between Secs. 25 & 36, T4 N. R1 E.

40.02 Set q. Sec. post at ar. q. dist. from which

a Syc 18 in. dia. bears N32E 4 lks. dist. &

a Beech 10 " " " S5E 11 " "

80.04 to Sec. Corner.

T4 N. R1 E. 2^d Mer. Indiana

North Between Secs. 25 & 26, T4 N. R1 E.

27.10 a Beech 12 in. diam. near

40.00 At the q. Sec. post, from which

a Beech 16 in. diam. near S 33 W 36 lbs. dist. &

a Do 18 " " " N 44 E 30 " "

53.65 a Sugar 14 " " in the line

80.00 At a post Cor. to Secs. 23, 24, 25 & 26, from which

a White Ash 36 in. diam. near S 28 E 25 lbs. dist. &

a Beech 30 " " " S 68 W 20 " "

Rolling rich 2^d rate; timber Beech, Sugar, Oak
Poplar, Ash &c. undergth Spruce &c.

East On Random between Secs. 24 & 25, T4 N. R1 E.

40.00 At temp^y q. Sec. post

79.92 Intersected the E. boundary, 150 lbs. S. of the post.

Sand level rich; timber Beech, Oak, Ash, Walnut,
undergth Spruce &c.

West On true line between Secs. 24 & 25, T4 N. R1 E.

39.96 At q. Sec. post at av^g. dist. on true line, from which

a Sugar 16 in. diam. near S 36 E, 25 lbs. dist. &

a Beech 20 " " " N 20 W 19 " "

79.92 to Sec. Corner.

North Between Secs. 23 & 24, T4 N. R1 E. 2^d Mer.

22.35 a Beech 20 in. diam. in the line

40.00 At the q. Sec. post, from which

a Cherry tree 18 in. diam. near N 68 W 44 lbs. dist. &

a B. Walnut 12 " " " N 88 E 25 " "

52.67 a Beech 15 " " in the line

80.00 At a post Cor. to Secs. 13, 14, 23 & 24, from which

a W. Oak 36 in. diam. near N 88 W 46 lbs. dist. &

a B. Walnut 24 " " " N 48 E 25 " "

T4 N. R1 E. 2nd. Mer. Indiana

Land part rolling & part level 2nd rate rich, timber
Beech, Sugar, Ash, Oak, Walnut, Sycamore, undug,
Spruce &c.

East On Random between Sec. 13 & 24, T4 N. R1 E.
40.00 Set temp. of. Sec. post,
79.98 Intersected the Co. boundary 234 lks. S. of the post
Land level & rich, timber Beech, Ash, Sugar &c.

West On true line between Sec. 13 & 24 T4 N. R1 E.
39.99 Set of. Sec. post at av. dist. on true line from which
a Beech 24 in. dia. bears N44 E 30 lks. dist. of
a do 12 " " " S11 W 23 " "
79.98 to Sec. corner. June 22nd 1819

North Between Sec. 13 & 14, T4 N. R1 E. 2nd. Mer
22.22 a Sugar 10 in. dia. stands in the line
40.00 Set the of. Sec. post, from which
a W. Ash 24 in. dia. bears S64 E 5 lks. dist. of
a Sugar 9 " " " S73 W 13 " "
54.65 a Hickory 24 " " in the line
55.42 a Brook 4 lks. wide C. & W.
80.00 Set a post, Cor. to Sec. 11, 12, 13 & 14, from which
a Blue Ash 36 in. dia. bears N48 E 19 lks. dist. of
a W. Walnut 12 " " " S17 W 56 " "
Land part rolling & part level & rich, timber same
as on the last mile.

East On Random between Sec. 12 & 13, T4 N. R1 E.
40.00 Set temp. of. Sec. post
79.84 Intersected the N. & S. line 290 lks. S. of the post.
Land part rolling & part level good 2nd rate, timber
same as on the last mile.

T4 N. R1 E. 2^d. Mer. Indiana

West On true line between Sec. 12 & 13, T4 N. R1 E.
 39.92 At q. Sec. post at av. f. dist. out true line, from which
 a W. Ash 9 m. dia. bears N 70 E. 17 lks. dist. &
 a Beech 16 " " " South 40 " "
 79.84 to Sec. Corner.

North Between Sec. 11 & 12, T4 N. R1 E.
 3.00 a Brook 20 lks. wide C. S. W.
 22.70 a W. Walnut 24 m. dia. ~~bears~~ in the line
 40.00 At the q. Sec. post, from which
 a W. Ash 12 m. dia. bears S 48 W 40 lks. dist. &
 a W. Elm 24 " " " N 60 E 61 " "
 57.40 a Hickory 30 " " in the line
 80.00 At a post Cor. to Sec. 1, 2, 11 & 12, from which
 a Beech 10 m. dia. bears S 25 E. 18 lks. dist. &
 a Sugar 18 " " " S 12 W 22 " "
 Land part level & part rolling good 2^d. rate, timber
 Beech, Sugar, ash, Walnut, Oak &c.

East On Rand. between Sec. 11 & 12, T4 N. R1 E.
 29.00 a Brook 20 lks. wide C. S. W.
 40.00 At temp. q. Sec. post
 79.74 Intersected the E. boundary 345 lks. S of the
 post. Land, timber &c. same as on the last mile

West On true line between Sec. 1 & 12, T4 N. R1 E.
 39.87 At q. Sec. post, at av. f. dist. out true line, from which
 a Beech 10 m. dia. bears S 87 E 15 lks. dist. &
 a Sugar 24 " " " N 41 E 23 " "
 79.74 to Sec. Corner.

North Between Sec. 1 & 2, T4 N. R1 E. 2^d. Mer.
 18.50 an Elm 24 m. dia. in the line

- 40.00 At the q. Sec. post, from which
 a W. Ash 10 in. dia. bears S 5 W 4 lks. dist. &
 a W. Walnut 12 " " " N 55 E 20 " "
- 59.20 at Beech 20 " " in the line
- 83.45 Intersected the N. boundary 12 lks. E. of post
 at a post. Cor. to Sec. 1 & 2, from which
 a W. Oak 36 in. dia. bears N 12 W 19 lks. dist. &
 a Buckeye 18 " " " N 45 W 21 " "
 Land, timber &c. same as last mile. June 23, 1820

North Between Sec. 34 & 35, T14 N. P. 1 E. 2^d. Mer.

- 21.55 a Blue Ash 18 in. dia. in the line
- 40.00 At the q. Sec. post, from which
 a Slippery Elm 12 in. dia. bears S 6 W 20 lks. dist. &
 a Buckeye 8 " " " S 83 E 11 " "
- 56.69 a Beech 16 in. dia. in the line
- 80.00 At a post Corner to Sec. 26, 27, 34 & 35, from which
 a Buckeye 12 in. dia. bears S 64 E 9 lks. dist. &
 a Do 14 " " " N 75 W 16 " " Land
 Rolling & rich, timber, Beech, Sugar, Walnut, Black
 W. Ash &c. undergth. Spice &c

East On Random between Sec. 26 & 35, T14 N. P. 1 E.

- 20.50 a Brook 30 lks. wide C. P. S. E.
- 40.00 At temp. q. Sec. post.
- 52.60 a stream 100 lks. wide C. P. S. E.
- 80.45 Intersected the N. & S. line at the post
 Land 1st. 50.00 Rich bottom 2^d. 30.45 Rolling
 rich land; timber, Beech, Sugar, Walnut, Hackberry,
 Buckeye &c. undergth. Spice & prairie.

West On true line between Sec. 26 & 35, T14 N. P. 1 E.

- 40.22 At q. Sec. post, at avg^d. dist. on true line, from which

T4 N. R1 E. 2^d. Mer. Indiana

a Hackberry 16 m. dia. beam N 3 W 30 lks. dist. &
 a W. Walnut 18 " " " S 44 E 19 " "
 Land timber &c. Same as on the last mile

North Between Secs. 26 & 27, T4 N. R1 E. 2^d. Mer.

12.65 a Sugar 12 m. dia. stands in the line

28.00 a Brook 30 lks. wide C.P. S.E.

40.00 At the q. Sec. post, from which

a B. Ash 10 m. dia. beam S 5 W 22 lks. dist. &

a W. Elm 24 " " " N 64 W 31 " "

58.00 a Beech 11 " " in the line

80.00 At a post Cor. to Secs. 22, 23, 26 & 27, T4 N. R1 E.

a Beech 12 m. dia. beam N 47 W 2 lks. dist. &

a W. Oak 30 " " " N 64 E 22 " "

Land level rich bottom, timber Walnut, Oak, Ash,
 Poplar, Sugar, Hackberry, undergth. Spruce, prairie &c.

East On Random between Secs. 23 & 26, T4 N. R1 E.

28.00 a Stream 100 lks. wide C.P. S.E.

40.00 At temp^y. q. Sec. post

80.50 Intersected the N & S. line 12 lks. N. of the post.

1st 1/2 mile rich bottom & 2^d 1/2 mile rolling land
 timber same as on the last mile.

West On true line between Secs. 23 & 26, T4 N. R1 E.

40.25 At q. Sec. post, from which

a Hackberry 12 m. dia. beam N 46 W 37 lks. dist. &

a Buckeye 14 " " " S 38 E 28 " "

80.50 to Sec. Corner.

North Between Secs. 22 & 23, T4 N. R1 E.

22.50 a Brook 30 lks. wide C.P. S.E.

28.23 a Hackberry 6 m. dia. stands in the line

Sept 11

S4 N. R1 E. 2^d. Mer. Indiana

- 40.00 At the q. Sec. post, from which
 a Buckeye 12 m. dist. bear N 33 W 12 lks. dist. &
 a Hackberry 30 " " " S 8 E 20 " "
- 51.24 a W. Elm 30 " " in the line
- 80.00 At a post Cor. to Sec. 14, 15, 22 & 23, from which
 a Honey Locust 24 m. dist. bear S 19 W 3 lks. dist. &
 a Buckeye 8 " " " N 35 E 17 " "
- Land part rolling & part bottom all very rich
 timber Walnut, Blue Ash, Sugar, Beech &

East On Random between Sec. 14 & 23, S4 N. R1 E

39.20 a Brook 60 lks. wide C.P. S.E.

40.00 At temp. q. Sec. post

80.50 Intersected the N & S. line 14 lks. N. of the post
 Land 1st 1/2 mile rich bottom - 2^d 1/2 mile rich bot-
 tom part level & part rolling all rich timb. Walnut,
 Blue Ash, Oak, Beech, Hackberry, Sugar, ^{red}undug,
 Spruce & Pawpaw.

West On true line between Sec. 14 & 23, S4 N. R1 E.

40.25 At q. Sec. post at adj. dist. on true line, from which

a Lycamore 6 m. dist. bear N 5 W 34 lks. dist. &

a Sugar 18 " " " S 43 W 95 " "

80.50 to Sec. Corner June 24th, 1820

North Between Sec. 14 & 15, S4 N. R1 E. 2^d. Mer.

22.44 a Beech 30 m. dist. in the line

40.00 At the q. Sec. post, from which

a Beech 16 m. dist. bear N 11 E 34 lks. dist. &

a Maple 24 " " " S 57 E 45 " "

50.00 a Willow 20 " " in the line

80.00 At a post Corner to Sec. 10, 11, 14 & 15, from which

a Beech 14 m. dist. bear N 46 W 30 lks. dist. &

34th N R1 E 2^d. Mer. Indiana

a Beech 18 in. dia. bears S 83 E. 31 lks. dist. &
Land 1st 1/2 mile high 2^d rate bottom very rich,
timber Walnut, Beech, Ash, Sugar &c. 2^d 1/2 mile
level 2^d rate timber Beech, Sugar Oak &c. underg.
Spice, pawpaw, Hazel &c.

East On Random between Sec. 1, 10 & 14, T14 N. R1 E.

40.00 At temp. of. Sec. post

55.00 a Brook 50 lks. wide E. S. W.

75.00 a Brook 20 " " " S. W.

80.46 Intersected the N & S. line 12 lks. N. of post

Land 1st 1/2 mile part rolling part rich bottom 2^d 1/2
mile level rich bottom, timber Beech, Sugar, Walnut
ash, Oak &c.

West On true line between Sec. 1, 10 & 14, T14 N. R1 E.

40.23 At of. Sec. post at av. dist. on true line, from which

a Buckeye 14 in. dia. bears N 4 W 28 lks. dist. &

a White Oak 36 " " " S 24 W 59 " "

80.46 to Sec. Corner.

North Between Sec. 1, 10 & 11, T14 N. R1 E 2^d. Mer.

20.16 a W. Oak 16 in. dia. in the line

40.00 At the of. Sec. post, from which

a Sugar 10 in. dia. bears N 31 W 3 lks. dist. &

a W. Oak 12 " " " S 31 W 9 " "

56.69 a Beech 12 " " in the line

80.00 At a post Cor. to Sec. 1, 2, 3, 10 & 11, from which

a Buckeye 12 in. dia. bears S 36 E 19 lks. dist. &

a Do 12 " " " - 75 W 18 " "

(Description Omitted)

East On Random between Sec. 1, 2 & 11, T14 N. R1 E.

T4 N. R1 E. 2^d. Mer. Indiana

32.00 a Brook 50 lks. wide C.P. S.E.

40.00 At the q. post temporary

80.44 Intersected the N & S. line 14 lks. N. of the post.
Land level of rich, timber Walnut, Sugar, Ash &c
undergrowth Spice & pawpaw

West On true line between Sec. 2 & 11, T4 N. R1 E.

40.22 At the q. Sec. post at ar. dist. from which
a D. Walnut 18 in. dia. bears N 8 E 17 lks. dist. of
a Hackberry 10 " " " N 6 W 6 " "

80.44 to Sec. Corner.

North Between Sec. 2 & 3, T4 N. R1 E. 2^d

17.80 a Sugar 18 in. dia. in the line

40.00 At the q. Sec. post, from which
a Sugar 18 in. dia. bears N 47 E. 8 lks. dist. of
a Beech 12 " " " N 61 W 25 " "

70.30 a Beech 18 " " in the line

81.54 Intersected the N. boundary 23 lks. N. of post

At a post Cor. to Sec. 2 & 3, from which

a Sugar 14 in. dia. bears S 54 W 16 lks. dist. of

a Blue Ash 30 " " " N 69 E 5 " "

Land part level & part rolling rich, timber Beech,
Sugar, Walnut, ash &c June 25th 1820

North Between Sec. 33 & 34, T4 N. R1 E

21.10 a Beech 12 in. dia. in the line

40.00 At the q. Sec. post. from which

a W. Elm 24 in. dia. bears N 82 E 3 lks. dist. of

a Sugar 12 " " " N 53 W 26 " "

58.50 a Beech 12 " " in the line

80.00 At a post Cor. to Sec. 27, 28, 33 & 34, from which

a Beech 30 in. dia. bears S 55 W 20 lks. dist. of

T4 N. R1 E. 2^d Mer. Indiana

a Beech 36 in. dia. brans N 32 E 14 lbs. dist. of
Land Rolling & Broken 2^d rate, timber, Beech,
Sugar, Ash, Oak, Poplar &c.

East On Rand^m between Sec. 27 & 34, T4 N. R1 E.

40.00 Set temp^y of Sec. post

80.48 Intersected the N & S. line 44 lbs. S. of the post
1st 1/2 mile Rolling good 2^d rate land; — 2nd 1/2 mile level
rich, Walnut, Ash, Beech, Sugar, Poplar, Oak,

West On true line between Sec. 27 & 34, T4 N. R1 E.

40.24 Set of Sec. post at ar. g. dish on true line from which
a Blue Ash 36 in. dia. brans N 59 E 7 lbs. dist. of
a Buckeye 12 " " " S 30 W 27 " "

80.48 to Sec. Corner

North Between Sec. 27 & 28, T4 N. R1 E. 2^d Mer.

33.77 a Beech 12 in. dia. brans in the line

40.00 Set the of Sec. post, from which

a Beech 24 in. dia. brans S 83 W 16 lbs. dist. of

a W. Oak 24 " " " N 83 E 17 " "

60.34 a B. Walnut 18 " " in the line

61.00 a Brook 30 lbs. wide at P. A. E.

80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which

a Dogwood 10 in. dia. brans S 61 W 15 lbs. dist. of

a Beech 24 " " " N 50 E 15 " "

Land part rolling & part level, very rich, timber
Beech, Sugar, Walnut, Ash, Spruce, &c. under. Spruce &c.

East On Rand^m between Sec. 22 & 27, T4 N. R1 E.

40.00 Set temp^y of Sec. post,

80.49 Intersected the N & S. line 43 lbs. S. of the post
Land level & rich; Beech, Sugar, Ash, Walnut, M. G. Spruce & poplar

44

T4N - R1E. 2^d Mer. Indiana

West On true line between Sect. 22 & 27, T4N. R1E.
 40.24 Set of. Sec. post at av. dist. on true line, from which
 a Beech 16 in. dia. bears S 33 E 22 lks. dist. &
 a W. Ash 18 " " " N 31 W 25 " "
 80.49 to Sec. Corner.

North Between Sect. 21 & 22, T4N. R1E. 2^d Mer.
 11.22 a Beech 17 in. dia. in the line
 40.00 Set the of. Sec. post, from which
 a Beech 17 in. dia. bears S 82 W 10 lks. dist. &
 a Do 30 " " " N 43 E 25 " "
 56.90 an Elm 15 " " in the line
 80.00 Set a post cor. to Sect. 15, 16, 21 & 22, from which
 a W. Elm 18 in. dia. bears N 68 W 30 lks. dist. &
 a Do 30 " " " S 73 E 40 " "
 Land level & very rich, timber Beech, Sugar, W. B. Ash,
 W. W. Walnut, & under the Spruce & Fir & c

East On a Cordon between Sect. 15 & 22, T4N. R1E.
 30.60 a Brook 40 lks. wide at S. E.
 40.00 Set temp. of. Sec. post
 80.44 Intersected the N & S line 38 lks. S. of the post
 Land part level & part rolling, timber same

West On true line between Sect. 15 & 22, T4N. R1E.
 40.22 Set of. Sec. post at av. dist. on true line, from which
 a Blue Ash 16 in. dia. bears N 23 E 27 lks. dist. &
 a Mulberry 18 " " " S 22 W 26 " "
 80.44 to Sec. Corner. June 26. 1820.

North Between Sect. 15 & 16, T4N. R1E. 2^d Mer.
 9.94 a cherry tree 18 in. dia. in the line
 32.00 a Brook 40 lks. wide at S. E.

T4 N. R1 E. 2^d. Mer. Indiana

- 40.00 At the q. Sec. post, from which
a Hickory 10 in. dia. bears N 41 W 9 lks. dist. &
a Buckeye 14 " " " S 59 W 18 " "
- 55.06 a Beech 18 " " in the line
- 80.00 At a post Cor. to Sec. 9, 10, 15 & 16. from which
a W. Oak 18 in. dia. bears N 89 W 20 lks. dist. &
a Do 18 " " " N 76 E 35 " "
- Land part rolling & part very rich, timber Beech,
W. B. Oak, W. & N. Walnut, W. B. Ash, Sugar &c.
undergth. Spruce & saw pine

East On Random between Sec. 10 & 15, T4 N. R1 E.

- 40.00 At temp. q. Sec. post
- 80.48 Intersected the N & S. line 40 lks. S. of the post
Land part rolling & part level 2^d. rate, timber Ash,
Beech, Oak, Sugar &c.

West On true line between Sec. 10 & 15, T4 N. R1 E.

- 40.24 At q. Sec. post, at av. dist, on true line, from which
a Beech 20 in. dia. bears N 49 E 17 lks. dist. &
a Do 14 " " " N 12 W 20 " "
- 80.48 to Sec. Corner

North Between Sec. 9 & 10, T4 N. R1 E. 2^d. Mer.

- 23.11 a Beech 30 in. dia. on the line
- 40.00 Beech 18 ^{in. dia.} q. Sec. post, from which
a Sugar 10 in. dia. bears N 2 W 18 lks. dist. &
- 57.90 a Beech 12 " " in the line
- 80.00 At a post Cor. to Sec. 3, 4, 9 & 10, from which
a Beech 18 in. dia. bears S 79 W 22 lks. dist. &
a Do 12 " " " S 66 E 30 " "
- Land level 2^d. rate, Beech, Oak, ash, Sugar, Hickory
&c. undergth. Spruce &c.

T4N R1E 2^d. Mer. Indiana

East On Random between Sec. 3 & 10, T4N. R1E.
400 At temp. q. Sec. post
80 42 Intersected the N & S line 36 lks South of the post
Land level 2^d. rate, timber Beech, ash, Oak &c.
undergrowth Spice &c.

West Corrected between Sec. 3 & 10, T4N. R1E.
40.22 At q. Sec. post at av. dist. from which
a B. Ash 10 in. diam. bears S 26 W 26 lks dist. of
a W. Oak 30 " " " N 22 E 27 " "
80.42 to Sec. Corner.

North Between Sec. 3 & 4, T4N, R1E, 2^d. Mer
22.82 a W. Oak 18 in. diam. in the line
40.00 At the q. Sec. post. from which
a W. Elm — in. diam. bears S 14 E 27 lks. dist. of
a W. Ash 8 " " " N 21 E 9 "
81.35 Intersected the N. boundary 34 lks. E. of post
At a post Cor. to Sec. 3 & 4, T4N, R1E. from which
a Poplar 36 in. diam. bears N 61 W 51 lks. dist. of
a W. Oak 36 " " " N 33 E 64 " "
Land level 2^d. rate, timber, Beech, Oak, Poplar &c.
June 27th 1890

North Between Sec. 32 & 33, T4N. R1E
16 06 a Beech 20 in. diam. in the line
17.50 a Spring branch at N.W.
40 00 At the q. Sec. post. from which
a W. Ash 36 in. diam. bears S 85 E 22 lks. dist. of
a Sugar 18 " " " S 54 W 35 " "
62.04 a Beech 24 " " in the line
80.00 At a post Cor. to Sec. 28, 29, 32 & 33, from which
a Sugar 12 in. diam. bears N 3 E 15 lks. dist. of

T4 N. R1 E 2^d Mer. Indiana

a Sugar 12 in. dia. bray S59 W 27 lks. dist. &
Land rolling 2^d rate, timber, Beech, Sugar, Oak,
Poplar &c.

East On Random between Secs. 28 & 33, T4 N. R1 E

38.00 a Spring branch C.P. & N.

40.00 At temp^y. q^r. Sec. post

81.11 Intersected the N & S. line 54 lks S. of post

Land rolling 2^d rate, timber Same as last mile

West On true line between Secs. 28 & 33, T4 N. R1 E

40.55 1/2 At q^r. Sec. post at av^g. dist. from which

a Beech 24 in. dia. bray N83 W 8 lks. dist. &

a hlo 24 " " " N82 E 47 " " "

81.11 to Sec. Corner.

North Between Secs. 28 & 29, T4 N. R1 E, 2^d Mer.

20.00 a Blue Ash 12 in. dia. in the line

40.00 At the q^r. Sec. post from which

a Sugar 30 in. dia. bray S62 E 10 lks. dist. &

a hlo 28 " " " S88 W 19 " "

56.80 a Beech 15 " " in the line

70.00 a Brook 30 lks wide C.P. & E.

80.00 At a post Cor. to Secs. 20, 21, 28 & 29, from which

a B. Walnut 12 in. dia. bray S47 E. 24 lks. dist. &

a Beech 24 " " " N15 W 35 " "

Land part rolling & part rich 2^d rate, timber

Beech, Sugar, Oak, Poplar, ash, Sugar, muddy. Price

East On Random between Secs. 21 & 28, T4 N. R1 E.

40.00 At temp^y. q^r. Sec. post

81.04 Intersected the N & S. line 60 lks. S. of the post

Land Mostly level bottom Good, timber, Sugar,

T4 N. R1 E. 2^d. Mer. Indiana

Beech Walnut, Spice undergrowth.

West On true line between Sec. 21 & 28, T4 N. R1 E.
 40.50 At gr. Sec. post at av. dist. on true line, from which
 a Spruce 20 in. diam. bears S 54 W 10 lks. dist. &
 a Buckeye 14 " " " N 32 W 41 " "
 81.04 to Sec. Corner.

North Between Sec. 20 & 21, T4 N. R1 E. 2^d. Mer.
 28.91 a Beech 16 in. diam. in the line
 40.00 At the gr. Sec. post, from which
 a Beech 30 in. diam. bears N 13 E 5 lks. dist. &
 a Do 10 " " " S 66 W 27 " "
 50.20 a W. Ash 30 " " in
 80.00 At a post Corner to Sec. 16, 17, 20 & 21, from which
 a Beech 12 in. diam. bears S 9 E 9 lks. dist. &
 a Do 14 " " " N 35 W 31 " "
 Land level 2^d. rate, timber Beech, Sugar, Oak,
 undergrowth Spice as usual of the largest kind

East On Random between Sec. 16 & 21, T4 N. R1 E.
 40.00 At temp. gr. Sec. post
 81.08 Intersected the N & S. line 56 lks. S. of post
 Land level 2^d. rate, Beech, Sugar, Oak, Ash,
 underg. Spice &c.

West On true line between Sec. 16 & 21, T4 N. R1 E.
 40.54 At gr. Sec. post, at av. dist. on true line, from which
 a W. Ash 12 in. diam. bears N 45 E 23 lks. dist. &
 a Do 12 " " " N 41 W 14 " "
 81.08 to Sec. Corner. June 28th 1820

North Between Sec. 16 & 17, T4 N. R1 E

T14 N. R1 E. 2^d Mer. Indiana

- 14.33 a W. Walnut 30 in. diam. in the line
 40.00 let the gr. Sec. post, from which
 a Beech 20 in. diam. bears N 34 W 10 lbs. dist. &
 a Do 20 " " " N 85 E 22 " "
 62.00 a Beech 18 " " in the line
 80.00 let a post Cor. to Sec. 8, 9, 16 & 17, from which
 a Sugar 12 in. diam. bears S 10 E 24 lbs. dist. &
 a Beech 14 " " " N 58 W 30 " "
 Land level 2^d. rate, timber Beech, Sugar, ash
 Oak; undergth Spruce &c.
-

East On Randm. between Sec. 9 & 16, T14 N. R1 E

39.50 a brook 40 lbs. wide C. S. E.

40.00 let temp^y. gr. Sec. post

41.00 a Brook 40 lbs. wide C. S. E.

42.00 a Do 40 " " thence in and out $\frac{1}{4}$ mile

81.14 intersected the N & S. line 58 lbs. S. of post,
 Land rolling broken 2^d. rate, timber Beech
 Sugar, Oak, Poplar, &c.

West On true line between Sec. 9 & 16, T14 N. R1 E.

40.57 let gr. Sec. post at av^y. dist. on true line, from which
 a Poplar 8 in. diam. bears N 74 W 19 lbs. dist. &
 a W. Elm 8 " " " S 19 E 21 " "

81.14 to Sec. Cor.

North Between Sec. 8 & 9, T14 N. R1 E. 2^d Mer.

24.00 a Brook 40 lbs. wide C. S. E.

26.00 a W. Walnut 12 in. diam. in the line

40.00 let gr. Sec. post, from which
 a Beech 15 in. diam. bears N 73 W 15 lbs. dist. &
 a Do 10 " " " N 69 E 15 " "

53.51 a Poplar 40 " " in the line.

80.00 let a post Cor. to Sec. 5, 4, 8 & 9, from which

St. Rt. R 1 E. 2^d Mer. Indiana

a Sugar 12 in. dia. bear N 15 W 2 lbs. dia. of
 a do 12 " " " S 2 E 27 " "
 Land 1 ¹/₂ mile past upland, 2^d rate of post very
 rich bottom - 2 ¹/₂ mile rich bottom, timber
 Beech, Sugar, Ash, Oak, Walnut, Hackberry,
 Lynd &c. undugth Spice, pawpaw &c.

East On Random between Sec. 4 & 9, T 14 N. R 1 E.
 40.00 Set temp. of. Sec. post
 81.10 Intersected the N. & S. line, 50 lbs. S. of the post.
 Land mostly level 2^d rate, timber Beech, Sugar,
 Oak, Hickory &c. undugth Spice &c.

West On true line between Sec. 4 & 9, T 14 N. R 1 E.
 40.55 Set of. Sec. post at av. of. dist on true line, from which
 a Beech 16 in. dia. bear N 1 W 11 lbs. dia. of
 a do 18 " " " N 61 E 33 " "
 81.10 to Sec. Corner.

North Between Sec. 4 & 5, T 14 N. R 1 E 2^d Mer.
 14.33 a Beech 12 in. dia. in the line
 40.00 Set the of. Sec. post, from which
 a Sugar 14 in. dia. bear N 72 W 6 lbs. dia. of
 a Beech 12 " " " S 55 E 21 " "
 80.76 Intersected the N. boundary 34 lbs. E. of post of
 Set a post Cor. to Sec. 4 & 5, from which
 a Beech 18 in. dia. bear N 58 W 38 lbs. dia. of
 a do 6 " " " S 31 E 9 " "
 Land level 2^d rate, timber Beech, Oak, hick,
 ash, Angaria &c. undugth Spice, June 29th 1820

North Between Sec. 31 & 32, T 14 N. R 1 E.
 21.24 a Hackberry 12 in. dia. bear in the line

44th N. P. 1 E. 2^d, Mer. Indiana

- 40.00 At the q. Sec. post, from which
a Beech 10 mi. dist. bears N 67° W 10 lbs. dist.
a do 18 " " " N 23 E 16 " "
- 57.81 a Hackberry 12 mi. dist. in the line
- 65.00 a Brook 8 lbs. wide S. E.
- 80.00 At a post Cor. to Sec. 29, 30, 31 & 32, from which
a Buckeye 8 mi. dist. bears N 74° W 25 lbs. dist.
a do 12 " " " N 52 E 18 " "
- Land rolling part level, rich, timber Beech, Sugar
Beech, Ash, Walnut Oak &c. indg. Spruce & Poplar.

East On Random betw. Sec. 29 & 32, 44th N. P. 1 E.

40.00 At temp. q. Sec. post.

80.81 Intersected the S. line 56 lbs. S. of the post
Land rolling & rich, timber as above.

West On true line between Sec. 29 & 32, 44th N. P. 1 E.

40.40 1/2 At q. Sec. post at anj. dist. on true line, from which
a Beech 12 mi. dist. bears S 34° W 28 lbs. dist.
a W. Oak 30 " " " N 84 E 11 " "

80.81 to Sec. Corner.

West Between Sec. 30 & 31, 44th N. P. 1 E. 2^d, Mer.

8.00 a Brook 20 lbs. wide S. E.

21.83 a B. Ash 10 mi. dist. in the line

40.00 At the q. Sec. post, from which
a Beech 14 mi. dist. bears S 43° W 26 lbs. dist.
a do 20 " " " N 84 W 37 " "

41.52 Intersected the 2^d Mer. 95 lbs. S. of the post
At a post, Cor. to Sec. 30 & 31, from which
a Beech 18 mi. dist. bears S 2° W 11 lbs. dist.
a do 30 " " " N 19 E 21 " "

Land rolling very rich, Walnut, Beech, Sugar, W. G. Spruce & Poplar.

St. N. P. E. 2^d. Mer. Indiana

North Between Secs. 29 & 30, St. N. P. E. 2^d. Mer.

5.00 a Brook 20 lks. wide Cr. S. E.

18.20 a W. Oak 24 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 10 in. dia. bears N 42 W 3 lks. dist.

a W. Ash 12 " " " S 50 E 21 " "

61.78 a Beech 24 " " in the line

80.00 Set a post Cor. to Secs. 19, 20, 29 & 30, from which

a W. Ash 13 in. dia. bears S 70 W 9 lks. dist.

a Beech 12 " " " S 33 E 13 " "

Land rolling rich, timber as above.

East On Random between Secs. 20 & 29, St. N. P. E.

40.00 Set temp. q. Sec. post

49.00 a Brook 20 lks. wide Cr. S. E.

80.71 Intersected the St. S. line 50 lks. S. of the post.

Land mostly level rich, timber as before.

West On true line between Secs. 20 & 29, St. N. P. E.

40.30 Set q. Sec. post, at adj. dist. on true line, from which

a Beech 30 in. dia. bears S 43 E 4 lks. dist.

a Do 18 " " " N 44 W 24 " "

80.71 to Sec. Corner.

West Between Secs. 19 & 30, St. N. P. E. 2^d. Mer.

13.60 a Beech 18 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 14 in. dia. bears N 44 W 2 lks. dist.

a Do 14 " " " S 20 E 21 " "

41.81 Intersected the 2^d. Mer. 15 1/2% of the post &

Set a post Cor. to Secs. 19 & 30, from which

a Beech 12 in. dia. bears N 49 E 3 lks. dist.

a Snowwood 10 " " " N 38 E 31 " "

T4 N R1 E. 2^d Mer. Indiana

Sand timber &c. Same as on the last mile

North Between Secs. 19 & 20, T4 N, R1 E. 2^d Mer.
 15.00 a Beech 12 m. dia., in the line
 36.00 a Brook 10 lks. wide C. S. E.
 40.00 At the q^r. Sec. post, from which
 a Beech 12 m. dia., bear N 82 W - lks. dist. &
 a Ro 10 " " " S 82 E 17 " "
 61.14 a Beech 16 " " in the line
 80.00 At a post Cor. to Secs. 17, 18, 19, 20, from which
 a Beech 24 m. dia., bear S 59 W 9 lks. dist. &
 a W. ash 6 " " " S 56 E 21 " "
 Sand level & rich, timber & winding^r. as usual
 plenty and good.

West Between Secs. 18 & 19, T4 N, R1 E. 2^d Mer.
 20.18 a Beech 18 m. dia., in the line
 40.00 At the q^r. Sec. post, from which
 a Beech 30 m. dia., bear S 36 W 22 lks. dist. &
 a Sugar 18 " " " N 12 E 13 " "
 42.02 Intersected the 2^d Mer. @ 30 lks. N. of the post.
 At a post Cor. to Secs. 18 & 19, from which
 a Sugar 14 m. dia., bear S 23 E 25 lks. dist. &
 a Ole 16 " " " N 20 E 30 " "
 Sand timber &c. Same as on the last mile

East On Randon between Secs. 17 & 20, T4 N, R1 E.
 25.00 a Brook 5 lks. wide C. S. E.
 40.00 At temp^r. q^r. Sec. post
 80.69 Intersected the N & S. line 38 lks. S. of the post.
 Sand level & rich, timber Same as on the last mile

West On true line between Secs. 17 & 20, T4 N, R1 E.

T4 N. P. E. 2nd Mer. Indiana

40.34 1/2 Let the qt. Sec. post at av. J. dist. from which
 a Beech 8 in. dia. bear N 58 E 10 lks. dist. of
 a do 16 " " " N 86 W 21 " "
 80.69 to Sec. Corner June 30th 1820

North Between Sec. 17 & 18, T4 N. P. E.

25.34 an Elm 12 in. dia. in the line

40.00 Let the qt. Sec. post, from which
 a B. Ash 24 in. dia. bear S 33 W 7 lks. dist. of
 a Beech 10 " " " N 51 W 31 " "

62.76 a Sugar 24 " " in the line

80.00 Let a post Cor. to Sec. 17, 8, 17 & 18, from which
 a Beech 18 in. dia. bear N 12 E 16 lks. dist. of
 a W. Ash 14 " " " N 5 E 8 " "
 Land, timber &c. same as on the last mile

East On Random between Sec. 8 & 17, T4 N. P. E.

40.00 Let temp. qt. Sec. post

80.74 Intersected the N & S. line 39 lks. S. of post
 Land level rich timber &c. same above.

West On true line between Sec. 8 & 17, T4 N. P. E.

40.37 Let qt. Sec. post at av. J. dist. on true line from which
 a P. Oak 48 in. dia. bear S 40 W 7 lks. dist. of
 a Beech 12 " " " N 80 E 13 " "

80.74 to Sec. Corner,

West Between Sec. 17 & 18, T4 N. P. E. 2nd Mer.

18.21 a Beech 12 in. dia. in the line

40.00 Let the qt. Sec. post, from which
 a B. Walnut 14 in. dia. bear N 77 E 1 lks. dist. of
 a Beech 24 " " " West 25 " "

41.86 Intersected the 2nd Mer. 288 lks. N. of post. &

14th R1 E. 2^d Mer. Indiana

Set a post Cor. to Sec. 7 & 18, from which
 a Beech 14 m. dia. bears N10 E 20 lks. dist. of
 a do 14 " " " N58 W 32 " "
 Land & timber &c. same as on the last mile

North Between Sec. 7 & 8, 14th R1 E. 2^d Mer.
 19.21 a Beech 18 m. dia. in the line
 40.00 Set the q. Sec. post, from which
 a W. Oak 36 m. dia. bears N19 E 34 lks. dist. of
 a Beech 14 " " " N37 W 34 " "
 62.00 a Beech 24 " " in the line
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
 a Beech 34 m. dia. bears S58 E 9 lks. dist. of
 a do 12 " " " N56 W 10 " "
 Land & timber same as on the last mile.

East On Random between Sec. 5 & 8, 14th R1 E.
 40.00 Set temp. q. Sec. post
 40.24 a Brook 40 lks. wide C. S. E.
 80.75 Intersected the N & S. line 37 lks. S. of the post.
 Land flat level & post rolling, rich, timber Wal-
 nut, Sugar, Beech, Cypress, pondy, Spruce &c.

West On true line between Sec. 5 & 8, 14th R1 E.
 40.37¹/₂ Set q. Sec. post at av. dist. on true line from which
 a Walnut 10 m. dia. bears N10 E 75 lks. dist. of
 an Elm 10 " " " N85 W 43 " "
 80.75 to Sec. Corner

West Between Sec. 6 & 7, Town 14th R1 E.
 21.58 a W. Oak 30 m. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Sugar 20 m. dia. bears N16 W 21 lks. dist. of

T4 N R1 E 2^d Mer. Indiana

a Sugar 12 mi. dist. from N 35 E. 24 lks. dist.
 42.30 Intersected the N. boundary 334 lks. N. of the
 post & set a post, Cor. to Sec. 6 & 7, from which
 a Sugar 12 mi. dist. from N 60 W 20 lks. dist.
 a do 14 " " " N 19 E 34 " "
 Land, timber &c. same as on the last mile

North Between Sec. 5 & 6, Township 14 N, R1 E
 30.00 a Sugar 24 mi. dist. on the line
 40.00 set the g. Sec. post, from which
 a Sugar 12 mi. dist. from N 50 W 26 lks. dist.
 a do 12 " " " N 86 E 25 " "
 56.00 a Beech 30 " " on the line
 80.07 Intersected the N. boundary 51 lks. E. of post
 set a post ^{Cor. to Sec. 15 & 16} from which
 a W. Oak 28 mi. dist. from S 69 W 15 lks. dist.
 a do 30 " " " N 84 E 19 " "
 Land level & rich, timber Beech, Sugar &c.

July 1st 1870

Surveyed by Stephen Collett, D. Sur.

Comp^d

I certify that the foregoing transcript of field notes
 of Township 14 N, Range 1 E 2^d Mer. Indiana, has
 been compared with the original notes in this office,
 and found to be correct.

Surveyor General's Office
 Cincinnati, Dec. 26. 1840

E. S. Cairns
 Sur. Genl.